


STANDARD EQUIPMENT LIST



GENERAL SPECIFICATIONS

Naval Architect	Marc Lombard Yacht Design Group
Hull length	10.70 m
Overall length (with bowsprit)	11,47 m
Beam	4,00 m
Air draft	17.40 m
Twin keels draft	1,72 m
Single keel draft	2,04 m
Lifting keel draft	1.17 m / 2.97 m
Light displacement (twin keels / single keel)	4.900 kg
Mainsail	38.2 m²
Genoa	39 m²
Staysail	20 m²
Gennaker	63 m²
Downwind gennaker	88 m²
Asymmetric spinnaker	120 m²
Water capacity	186 L
Fuel capacity	80 L
Holding tank capacity	35 L
Diesel engine	Volvo Penta 30 CV
Transmission	Sail-drive
EC Certification	A - 6 people

CONSTRUCTION

HULL

Hull bottom and structure in Okoume plywood impregnated with epoxy resin.

Pieces of the structure are tacked together using a fiberglass and epoxy lamination process.

APPENDAGES

Standard : twin keels – single rudder.

Cast iron keels, epoxy protection, bolted to a galvanized steel structure.

Rudder hung with self-aligning bearing.

DECK

Fiber glass / PVC foam sandwich construction.

Hull and deck are tacked together using a fiberglass and epoxy lamination process.

DECK EQUIPMENT

STANDING RIGGING

Anodized aluminum mast, double spreaders.
Stainless steel standing rigging 1x19, including : forestay, low shrouds, cap shrouds, int. shrouds, adjustable backstay, cutter/inner stay (part of the structure for the aluminum mast version).

Luff track with cars

Rigid boom vang

Anodized aluminum boom with 3 reefs

Genoa furler

Wind vane

SAILS

Mainsail with 3 reefs and 4 battens (38.2 m²).

Dacron cross cut horizontally cut.

Furling Dacron genoa with UV protection 39 m²)

RUNNING RIGGING

1 mainsail halyard

1 mainsheet

2 working ropes for mainsheet traveler

1 topping lift

1 working rope for the vang

1 working rope to adjust the mainsail foot

3 mainsail reefs (2 automatics, 1 classic)

1 genoa halyard

1 genoa furling line

2 genoa sheets

2 working ropes for genoa traveler

DECK HARDWARE

Stainless steel bow roller

2 bow pulpits in stainless steel

Anchor locker

6 mooring cleats and stainless steel protection

2 stainless steel handrails on coachroof

2 self-tailing winches (45) for the genoa – 2 speeds

2 self-tailing winches (40) for halyards – 2 speeds

1 winch handle storage

Mainsail track in the cockpit

2 genoa sheets traveller

2 stern pushpits in stainless steel (1 with a welded ring for flag)

1 central pushpit at the back

1 swimming ladder

3 portholes in the cockpit

Double level of stainless steel life lines with stanchions

COCKPIT

Ropes doors locker under companionway
Liferaft locker
2 cockpit lockers
4 footrests
1 steering compass
2 steering wheels
Engine throttle and control panel
Gas compartment
Cockpit shower (cold water)

TECHNICAL SPECIFICATIONS

ENGINE

VOLVO Engine with sail-drive transmission – 30 HP
Fixed 2 blades propeller in aluminum
1 diesel tank of 80 L
Access behind steps to engine compartment and from aft cabin and bathroom
Sound proofing foam for insulation
Air ventilation with forced air outlets

ELECTRIC EQUIPMENT

1000 W electrical windlass for 10mm ISO chain
2 services batteries 110 Ah
1 engine battery 80 Ah
12V Electrical panel at the chart table :
voltmeter, water gauges, diesel gauge
Engine and service batteries switches
LED lighting and LED navigation lights

PLUMBING

Fresh water tanks : 2x93 Liters
1 pressurized electric water pump
1 electric bilge pump
1 electric shower pump
1 manual bilge pump
1 holding tank 35L

INTERIOR

FORWARD CABIN

Large double bed 1,60m x 1.95m
1 hanging storage on portside and storage on starboard
Storage compartments along the hull
Open-storage
1 forward opening flush deck hatch size 44
2 large hull portholes
2 LED reading lights with USB sockets

SALOON

Sofas with cushions
Folding saloon table with storage for bottles
Storage behind backrests
Storage under bench seats
Floor with traps (access to the bottom of the hull)
2 large hull portholes

GALLEY

U-shape galley
1 large composite sink
Laminated work top
Bin integrated to the work top
Top opening cooler
Lockers and drawers
1 gas cooker 2 burners – stainless steel oven
1 opening porthole for ventilation

CHART TABLE

Seat with storage
Chart table with worktop opening compartment
Storage
1 reading light – white/red
Available space for additional electronics

STARBOARD AFT CABIN

Large double bed 1,35 x 2,00m
Hanging closet / cabinet
Lockers with ventilation under the berth
2 opening portholes – cockpit side
1 fixed hull porthole
2 reading lights with USB socket integrated

HEAD

Manual toilet
1 opening porthole for ventilation
Storage closet – basin and mixer tap integrated
Storage compartment with mirror
Shower

PORT AFT SPACE

Storage space
Technical area with floor
Access to the bottom of the hull – space for storage

CUSTOMS ON DEMAND

Our boats permanently benefit from the shipyard's technical improvements together with the feed back from our clients.

Therefore the characteristics given on the brochure may change and should not be considered as contractual figures.



R M Y A C H T S

ZI Les Quatre chevaliers 17185 Périgny

Tèl : +33 (0)5 46 44 73 00

Info@rm-yachts.com

<http://www.rm-yachts.com/>